



Instrument Start Up Solutions for ICP-OES and ICP-MS

Developed to provide the highest level of
accuracy and traceability

#GoBeyondTheStandard

lgcstandards.com/VHG-StartUpSolutions

LGC Quality: ISO 17043 | ISO 17034 | ISO/IEC 17025 | ISO 9001



VHG™ Quality

#GoBeyondTheStandard

VHG™ is deeply committed to providing highly accurate Certified Reference Materials to our customers. We #GoBeyondTheStandard in our ISO 17034 accredited and ISO 9001 certified manufacturing processes, combined with our stringent quality control procedures which exceed the requirements of our ISO/IEC 17025 accreditation. VHG™ is one of the few reference material producers (along with NIST) to adopt the NIST High-Performance ICP-OES Methodology for the majority of our aqueous products, providing an unparalleled level of quality assurance.

Extensive, high-quality portfolio

VHG™ manufactures our comprehensive portfolio of high-purity elemental Certified Reference Materials under our ISO 17034 Reference Material Producers accreditation in our state of the art facility utilizing our certified cleanroom when appropriate. The starting materials are carefully selected with the highest level of purity in mind, along with the correct matrix for the application. Extensive long term stability evaluations, homogeneity verifications, and effects of transport conditions are performed, with all relevant analytical measurements conducted under our ISO/IEC 17025 scope of accreditation. Our validated manufacturing and packaging processes provide additional peace of mind that our materials will consistently deliver reliable results.

Understanding your analytical needs

VHG™ provides critical tools which protect the integrity of testing data for industries with highly sensitive safety and security concerns around the world. Committed to the belief that any defect in our products or services is unacceptable, we combine customer interactions with our scientific and regulatory expertise to constantly work to meet the requirements of our customers while continually improving our products and processes.

Expert customer support

At VHG™ we combine experience with continuous training to ensure that the latest knowledge and skills are provided by our customer service team, in your technical support, and in the production of your Certified Reference Materials. As part of the wider LGC Standards family, we are proud to offer our customers the extensive experience of scientific experts from across our global network, with dedicated local teams supporting the selection and implementation of reference materials for your analytical testing.

Our vision


VHG™ continues to build on our more than 30 years of expertise in planning, developing, producing, and reliably delivering high-quality reference materials to customers around the world. We hold ourselves to an incredibly high standard to ensure your trust in our product. Our passion for our work includes a commitment to achieving our quality objectives while meeting the requirements of all applicable international standards. We are continuously adding innovative products to our portfolio, and are dedicated to supporting you as a trusted partner for all of your analytical solutions.



Image by SPECTRO

Industries Served

The VHG™ Aqueous Inorganic product portfolio serves many scientific industries. We strive to provide both standard products as well as custom mixtures to serve your lab's specific needs. Some of the key markets we operate in include:



#GoBeyondTheStandard

Inductively Coupled Plasma (ICP)

Technique Overview

ICP Emission

Also known as ICP-OES or ICP-AES

Primary Uses

Metals Analysis

Performs well with complex matrices:

- High levels of dissolved solids
- Oil / solvent matrix materials

ICP Mass Spectrometry

Also known as ICP-MS

Primary Uses

Metals Analysis

Couples well with range of “front end” sample introduction devices such as:

- Liquid Chromatography
- Gas Chromatography

Coverage & Detection Limits

- Wide elemental coverage
- ppb detection limits

Coverage & Detection Limits

- Wide elemental coverage
- Sub-ppt detection limits

Common Applications

- Environmental
- Wear metals
- Metal & metal alloys
- Chemical & petrochemical
- Paints & pigments
- Geological exploration
- Engine coolant analysis

Common Applications

- Environmental
- Semiconductor
- Earth & planetary science research
- Clinical
- Pharmaceutical
- Nuclear

ICP-OES

Wavelength Calibration Solutions

Common applications: Wave calibration | Performance set up and validation | Wavelength

Accurate indexing of emission wavelengths is critical to sensitivity (d.I.) and signal stability (RSD). The VHG™ line of high-quality ICP-OES Wavelength Calibration Solutions are designed to meet ICP instrument manufacturers' specifications and are the ideal solutions for calibrating your instrument to which pixels of its array detector correspond to each emission wavelength. If you have a specific need not met by the products listed, please contact us to discuss a custom mixture.



Wavelength Calibration and Related Solutions for ICP-OES

Description	Composition	Product No.	mL	Suitable for use with
Low UV Wave Cal Solution	Al, P, S @ 10 µg/mL in 2% HNO ₃	VHG-ISUPE-LOW-250	250	PerkinElmer® ICP-OES
VIS Wave Cal Solution	K @ 50 µg/mL; La, Li, Mn, Na, Sr @ 10 µg/mL; Ba, Ca @ 1 µg/mL in 2% HNO ₃	VHG-ISUPEVIS-250	250	PerkinElmer® ICP-OES: Optima® / Avio®
UV Wave Cal Solution	K, P, S @ 100 µg/mL; As, La, Li, Mn, Mo, Na, Ni, Sc @ 20 µg/mL; Ca @ 1 µg/mL in 5% HCl	VHG-ISUPEUVW-500	500	PerkinElmer® ICP-OES: Optima® / Avio®
Multi-Element Setup Standard	As, K @ 50 µg/mL; La, Li, Mn, Ni, Sr, Zn @ 10 µg/mL; Ba, Mg @ 1 µg/mL in 2% HNO ₃	VHG-ISUPEOPTME-500	500	PerkinElmer® ICP-OES: Optima®
Instrument Check Standard 3	K, P, S @ 100 µg/mL; As, La, Li, Mn, Mo, Na, Ni, Sc @ 20 µg/mL in 5% HCl	VHG-ISUPECHKSTD3-250	250	PerkinElmer® ICP-OES
Instrument Calibration Standard 4	As, Tl @ 100 µg/mL; Cd, Pb, Se @ 50 µg/mL in 5% HNO ₃	VHG-ISUPECAL4-100	100	PerkinElmer® ICP-OES: Optima® / Avio®
ICAL Solution	S @ 50 µg/mL; Ce, Cu, Eu, Fe, In, K, Ni, P, Si, Ti, V, Y, Zr @ 10 µg/mL; Mn, Mo, Na, Sc @ 5 µg/mL; Be, Li, Sr @ 2 µg/mL; Ca @ 1 µg/mL in 2% HNO ₃ , 2% HCl	VHG-ISUSPCTICAL-250	250	SPECTGRO ICP-OES: Genesis®, ARCOS®, Blue®

Blank Solutions

VHG™ Blank Solutions are produced in our dedicated aqueous production laboratory with a certified cleanroom, and are accompanied by a COA containing a trace impurity scan. You can be confident using our Blank Solutions for ICP-OES references and clean rinses.

Blank Solutions for ICP-OES

Description	Composition	Product No.	mL
Nitric Acid Blank	5% HNO ₃	VHG-HNO3-BLK-500	500
Hydrochloric Acid Blank	5% HCl	VHG-HCL-BLK-500	500
Hydrochloric/Nitric Blank	5% HCl, 1% HNO ₃	VHG-ICB/CCB-500	500
ICP-OES Blank	2% HNO ₃	VHG-L2HNO3BLK-500	500
Wash Water Blank	18 MΩ DI water	VHG-LDIWASH-250	250

ICP-MS

Tuning and Mass Calibration Solutions

Common applications: Tuning | Tune check | Peak calibration | Mass calibration | Resolution/Axis

Tuning of an ICP-MS is universally acknowledged as being a frequent (usually daily) task for optimal ICP-MS operation.

The VHG™ line of ICP-MS mass calibration and tuning solutions are designed to meet a wide-range of instrument manufacturers' specifications. We offer an array of Concentrates and Ready-to-use solutions, but if you have a specific need not met by the products listed here, please contact us to discuss a custom mixture.



Application Tip:

These solutions are essential when performing IQ/OQ/PQ as required under good laboratory practices (GLP)

Tuning and Mass Calibration Solutions for ICP-MS				
Description	Composition	Product No.	mL	Suitable for use with
Tuning / Mass Calibration Multi-Element Mix 1 (concentrate)	⁷ Li, Y, Ce, Tl @ 10 µg/mL in 5% HNO ₃	VHG-LMSTNG1-500	500	All models
Tuning / Mass Calibration Multi-Element Mix 1A (concentrate)	⁷ Li, Co, Y, Ce, Tl @ 10 µg/mL in 1% HNO ₃ , 0.5% HCl	VHG-LMSTNG5CONC-500	500	All models
Tuning / Mass Calibration Multi-Element Mix 2 (concentrate)	Be, Mg, Co, In, Ce, Pb @ 10 µg/mL in 1% HNO ₃	VHG-LMSTNG2Z-500	500	All models
Tuning / Mass Calibration Multi-Element Mix 3 (concentrate)	⁷ Li, Be, Mg, Co, Y, In, Ba, Ce, Tb, Pb, U @ 10 µg/mL in 5% HNO ₃	VHG-LMSTNG3Z-500	500	All models
Tuning Solution (see composition)	Ce, Co, Li, Tl, Y @ 10 µg/mL in 2% HNO ₃	VHG-LAGTSTK1-100	100	Agilent® ICP-MS: 7500, 7700, 7800, 7900, 8800, 8900
Tuning Solution 2	Ce, Co, Li, Mg, Tl, Y @ 10 µg/mL in 2% HNO ₃	VHG-LAGTSTK2-100	100	Agilent® ICP-MS: 7500, 7700, 7800, 7900, 8800, 8900
Tuning Solution (see composition)	Ce, Co, Li, Mg, Tl, Y @ 1 µg/L in 2% HNO ₃	VHG-LMSTNG101-500	500	Agilent® ICP-MS: 7500, 7700, 7800, 7900, 8800, 8900
Tuning Solution (see composition)	⁷ Li, Co, Y, Ce, Tl @ 10 µg/L in 2% HNO ₃	VHG-LMSTNG5DIL-500	500	Agilent® ICP-MS: Various Models
Tuning Solution (see composition)	Be, Mg, Fe, Co, In, Ce, Pb, Th, U @ 1 µg/L; Ba @ 10 µg/L in 2% HNO ₃	VHG-LMSTNG8-500	500	PerkinElmer® ICP-MS: DRC, DRCII

Table continued on next page

VHG™ Instrument Start Up Solutions

Table continued from previous page

Tuning and Mass Calibration Solutions for ICP-MS				
Description	Composition	Product No.	mL	Suitable for use with
Setup / Stability / Masscal Solution	Ba @ 10 µg/L; Al, Cd, Ce, Cr, Cu, In, Mg, Mn, Pb, Rh, Th @ 1 µg/L in 0.5% HCl	VHG-LPEMCAL-500	500	PerkinElmer® ICP-MS: E6100DRC, DRCII
Setup Solution (see composition)	Be, Ce, Fe, In, Li, Mg, Pb, U @ 1 µg/L in 1% HNO ₃	VHG-LPENXSUSDIL-500	500	PerkinElmer® ICP-MS: NexION™
KED Setup Solution	Co @ 10 µg/L; Ce @ 1 µg/L in 1% HNO ₃	VHG-LPENXKED-SUS-250	250	PerkinElmer® ICP-MS: NexION™
Setup Solution (see composition)	Be, Ce, Fe, In, Li, Mg, Pb, U @ 10 µg/L in 1% HNO ₃	VHG-LPENXSUS-500	500	PerkinElmer® Instruments: NexION™
Tuning Solution 1	Ba, Be, Ce, Co, In, Li, Mg, Pb, Rh, Tl, U, Y @ 10 µg/mL in 2% HNO ₃ , 5% HCl	VHG-LPETSOL1-100	100	PerkinElmer® ICP-MS: DRC, DRCII, NexION™
Tuning Solution (see composition)	⁷ Li, Be, Mg, Co, In, Ba, Ce, Pb, Bi, U @10 ug/L in 2% HNO ₃	VHG-LMSTNG6-100	100	Thermo Scientific™ ICP-MS: X-Series
Tuning Solution (see composition)	Be, Mg, Co, In, Ba, Ce, Tl, Pb, Th @ 250 µg/L in 2% HNO ₃	VHG-LMSTNG9-500	500	Varian™ ICP-MS: Various models

Varian™ is a trademark and NexION™ is a trademark of PerkinElmer; PerkinElmer® is a registered trademark of PerkinElmer, Inc.; Thermo Scientific™ is a trademark of Thermo Fisher Scientific Inc.; Agilent® is a registered trademark of Agilent Technologies, Inc., and appear solely for the purpose of product comparison.




Image by SPECTRO




Custom Aqueous Inorganic Mixtures for Elemental Analysis

for use with ICP, ICP-MS, AA, GFAA, Ion Chromatography & other techniques

No two laboratories process exactly the same samples, or have precisely the same requirements. There is a seemingly endless list of variables your analysts must account for, while producing accurate data every test. You need a partner who specializes in custom mixtures, with the ISO accreditations that ensure the quality of the standards you receive.

When you work with VHG™, you get a partner who specializes in manufacturing custom mixtures in our state of the art facility under our [ISO 17034 Reference Material Producers accreditation](#). Whether you need a single element or multiple elements in a specific matrix, our experts are ready to work with you to meet your lab's specific needs.



Contact us today to get started!

Tel: +1 603.622.7660

Email: lgcusa@lgcgroup.com

LGC Quality: ISO 17043 | ISO 17034 | ISO/IEC 17025 | ISO 9001

LGC



ICP-MS

IQ/OQ/PQ Solutions

Stability Solutions for ICP-MS

Description	Composition	Product No.	mL	Suitable for use with
Stability Solution (see composition)	Cd, Cu, Mg, Pb @ 1 µg/L in 1% HNO ₃	VHG-LPENXSTB-500	500	PerkinElmer® Non-Cell ICP-MS: NexION™
Stability Solution (see composition)	Co, Cu, In, Se @ 10 µg/L; Cd, Cr, Fe, Mg, Pb @ 1 µg/L in 1% HNO ₃	VHG-LPENXCELL-500	500	PerkinElmer® Cell ICP-MS: NexION™



Detector Calibration Solutions

Common applications: Detector calibration | Detector cross calibration | P/A | XCal

Accurate “cross calibration” is a requirement for establishing the linearity of the detector across pulse and analog. We offer a range of solutions suitable for this activity. If you find that you have a specific need not met by the products listed below, please contact us to discuss a custom mixture.

Detector Calibration Solutions for ICP-MS

Description	Composition	Product No.	mL	Suitable for use with
Dual Detector Solution	Al, Ba, Ce, Co, Cu, In, Li, Mg, Mn, Ni, Pb, Tb, U, Zn @ 200 µg/L in 2% HNO ₃	VHG-LSUSPENXDD-250	250	PerkinElmer® Cell ICP-MS: NexION™
P/A Tuning Mix 1 (concentrate)	Y, Tb @ 2.5 µg/mL; ⁶ Li, Na, Al, Sc, Ti, V, Cr, Mn, Co, Cu, Sr, In, Ba, Lu, Ir, Bi, Tl, Th, U @ 5 µg/mL; Mg, Ni, Ge, Mo, Ru, Pd, Sn, Sb, Pb @ 10 µg/mL; Be, Zn, As, Cd @ 20 µg/mL in 20% HCl, tr. HF	VHG-LDPA1-100	100	Agilent® models: 7500, 7700, 7800, 7900, 8800, 8900
P/A Tuning Solution 1 (concentrate)	As, Be, Cd, Zn @ 20 µg/mL; Mg, Ni, Pb @ 10 µg/mL; Al, Ba, Bi, Co, Cr, Cu, In, ⁶ Li, Lu, Mn, Na, Sc, Sr, Th, Tl, U, V @ 5 µg/mL; Y, Yb @ 2.5 µg/mL in 2% HNO ₃	VHG-LAGPATSOL1-100	100	
P/A Tuning Solution 2 (concentrate)	Ge, Mo, Pd, Ru, Sb, Sn @ 10 µg/mL; Ir, Ti @ 5 µg/mL in 10% HCl, 1% HNO ₃ , tr. HF	VHG-LAGPATSOL2-100	100	

NexION™ is a trademark of PerkinElmer; PerkinElmer® is a registered trademark of PerkinElmer, Inc.; Agilent® is a registered trademark of Agilent Technologies, Inc., and appear solely for the purpose of product comparison.

VHG™ Instrument Start Up Solutions

ICP-MS

Internal Standards

Common applications: IC-MS calibration and analysis of samples

VHG™ Internal Standards are manufactured to be free of impurities. Utilized continuously throughout the run, they help the analyst monitor recovery and normalize the noise of the instrument. We offer convenient concentrations for simple dilution into working solutions, or as a stock blend for automated inline addition of the internal standard.

Single Element Internal Standards for ICP-MS		
Composition	Product No.	mL
⁶ Li @100 µg/mL in 2% HNO ₃	VHG-LISC6LI-100	100
⁶ Li @10 µg/mL in 2% HNO ₃	VHG-LISA6LI-100	100
Bi @ 100 ug/mL in 2% HNO ₃	VHG-LISBI100-100	100
Bi @10 µg/mL in 2% HNO ₃	VHG-LISABI-100	100
Co @10 µg/mL in 2% HNO ₃	VHG-LISACO-100	100
Ge @ 100 ug/mL in 2% HNO ₃	VHG-LISGE100-100	100
Ge @10 µg/mL in 2% HNO ₃ , tr. F ⁻	VHG-LISAGE-100	100
In @ 100 ug/mL in 2% HNO ₃	VHG-LISIN100-100	100
In @10 µg/mL in 2% HNO ₃	VHG-LISAIN-100	100
Ir @10 µg/mL in 2% HCl	VHG-LISAIR-100	100
Lu @10 µg/mL in 2% HNO ₃	VHG-LISALU-100	100
Pt @10 µg/mL in 5% HCl	VHG-LISAPT-100	100
Rh @10 µg/mL in 2% HCl	VHG-LISARH-100	100
Sc @ 100 ug/mL in 2% HNO ₃	VHG-LISSC100-100	100
Sc @10 µg/mL in 2% HNO ₃	VHG-LISASC-100	100
Tb @ 100 ug/mL in 2% HNO ₃	VHG-LISTB100-100	100
Tb @10 µg/mL in 2% HNO ₃	VHG-LISATB-100	100
Y @ 100 ug/mL in 2% HNO ₃	VHG-LISY100-100	100
Y @10 µg/mL in 2% HNO ₃	VHG-LISAY-100	100

ICP-MS

Internal Standard Mixtures

Multi-Element Internal Standard Mixtures for ICP-MS				
Description	Composition	Product No.	mL	Suitable for use with
ICP-MS Pharma & USP <232> Internal Standard Solution	Bi, Ga, In @ 100 µg/mL in 5% HNO ₃	VHG-LIS9-100	100	Thermo Scientific™ ICP-MS: iCAP™-Q, X-series
ICP-MS Internal Standard 7 Element Mix	Bi, Ge, ⁶ Li, In, Sc, Tb, Y @ 10 µg/mL in 2% HNO ₃	VHG-LAGISTDMIX-100	100	Agilent® ICP-MS: 7500, 7700, 7800, 7900, 8800, 8900
ICP-MS Internal Standard Solution	Bi, Ge, In, ⁶ Li, Rh, Sc, Tb, Y @ 10 µg/mL in 5% HNO ₃ , tr. F-	VHG-LIS8-100	100	Thermo Scientific™ ICP-MS: X-Series
Internal Standard Multi-Element Mix 1	⁶ Li, Bi, Ga, In, Sc, Tb, Y @ 100 µg/L in 5% HNO ₃	VHG-LIS1-100	100	All models
Internal Standard Multi-Element Mix 2	Bi, Ga, In, Tb, Y @ 20 µg/L; ⁶ Li, Sc @ 100 µg/L in 2% HNO ₃	VHG-LIS2-100	100	All models
Internal Standard Multi-Element Mix 3	⁶ Li, Bi, Ge, In, Lu, Sc, Tb @ 100 µg/L in 5% HNO ₃ , tr. F-	VHG-LIS3-100	100	All models
Internal Standard Multi-Element Mix 4	Bi, In, Tb @ 10 µg/L; Ge, Te @ 25 µg/L; ⁶ Li, Sc @ 50 µg/L in 5% HNO ₃ , tr. F-	VHG-LIS4-100	100	All models

iCAP™ is a trademark of Thermo Fisher Scientific Inc.; Thermo Scientific™ is a trademark of Thermo Fisher Scientific Inc., and appear solely for the purpose of product comparison.



VHG™ Instrument Start Up Solutions

ICP-MS

Blank Solutions

VHG™ Blank Solutions are produced in our dedicated aqueous production laboratory with a certified cleanroom, and are accompanied by a COA containing a trace impurity scan. You can be confident using our Blank Solutions for ICP-MS references and clean rinses.

Blank Solutions for ICP-MS				
Description	Composition	Product No.	mL	Suitable for use with
ICP-MS Wash Solution	1% HNO ₃	VHG-LPENXWASH-250	250	PerkinElmer® ICP-MS: NexION™, DRC, DRCII
ICP-MS Wash Water Blank	18 MΩ DI Water	VHG-LDIWASH-250	250	All models
ICP-MS Blank	5% HNO ₃ in ASTM Type 1 Water	VHG-LNITWASH5-250	250	All models
Nitric Acid Blank	5% HNO ₃	VHG-HNO3-BLK-500	500	All models
Hydrochloric Acid Blank	5% HCl	VHG-HCL-BLK-500	500	All models
Hydrochloric/Nitric Blank	5% HCl, 1% HNO ₃	VHG-ICB/CCB-500	500	All models

NexION™ is a trademark of PerkinElmer; PerkinElmer® is a registered trademark of PerkinElmer, Inc., and appear solely for the purpose of product comparison.



Instrument Consumables

We offer a range of instrument consumables for ICP-OES and ICP-MS including nebulizers, torches, accessories and spray chambers. Please visit our website for more information!



Download our full catalog of **Aqueous Inorganic Certified Reference Materials (CRMs) & Calibration Standards**

Our Aqueous Inorganic Portfolio includes high-purity single and multi-element standards, CRMs, and instrument solutions for spectrochemical analysis, IC, wet chemistry techniques, and QC applications.

Download our catalog to shop our full product listing or shop online today at:

lgcstandards.com/VHGAqueousInorganic



LGC Quality: ISO 17043 | ISO 17034 | ISO/IEC 17025 | ISO 9001

The LGC logo, consisting of the letters 'LGC' in a bold, black, sans-serif font, enclosed within a white circle. The logo is positioned in the bottom right corner of the page, overlapping the abstract background image.

The ultimate online source for reference materials



100,000 reference
materials

+

your search criteria

=

your reference
standards

Contact Us

Tel: +1 603.622.7660

Email: lgcusa@lgcgroup.com

Offering the most
comprehensive online
source of reference materials.

lgcstandards.com

Order online today!

Science for a safer world

Buy online at lgcstandards.com or contact your local sales office.

Brazil

+55 12 3302 5880
bz@lgcgroup.com

Bulgaria

+359 (0)2 971 4955
bg@lgcgroup.com

China

+86 400 9216156
info.china@lgcgroup.com

France

+33 (0)3 88 04 82 82
fr@lgcgroup.com

Germany

+49 (0)281 9887 0
de@lgcgroup.com

Hungary

+49 (0)281 9887 0
de@lgcgroup.com

India

+91 (0)90 8297 4025
india@lgcgroup.com

Ireland

+44 (0) 208 943 8480
uksales@lgcgroup.com

Italy

+39 02 22476412
it@lgcgroup.com

Middle East

+49 (0)281 9887 0
global.sales@lgcgroup.com

Netherlands

+49 (0)281 9887 0
nl@lgcgroup.com

Nordic Countries

+49 (0)281 9887 0
de@lgcgroup.com

Poland

+48 22 751 31 40
pl@lgcgroup.com

Romania

+40 364 116890
ro@lgcgroup.com

Russia

+7 812 777 04 88
ru@lgcgroup.com

South Africa

+27 (0)11 466 4321
sales.za@lgcgroup.com

Spain

+34 (0)93 308 4181
es@lgcgroup.com

UK Reference Materials

+44 (0)208 943 8480
uksales@lgcgroup.com

USA + Canada

+1 603 622 7660
lgcusa@lgcgroup.com

Proficiency Testing

+44 (0)161 762 2500
ptcustomerservices@lgcgroup.com

Export Queries

+49 (0)281 9887 0
global.sales@lgcgroup.com



While every effort has been made to ensure the accuracy of the information in this publication, customers are directed to their local sales office or the LGC Standards website for further details and to verify product information. Specifications, terms and pricing are subject to change. LGC does not guarantee availability and reserves the right to discontinue any product. LGC does not accept liability for any loss that is caused by inaccurate product information, customer selection or inappropriate use of a product. Unless otherwise stated all trademarks are the property of LGC or its affiliated group companies. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or any retrieval system, without the written permission of the copyright holder. © LGC Limited, 2020. All rights reserved.





U.S. + Canada



Tel: +1 603.622.7660



Email: lgcusa@lgcgroup.com

Order online at lgcstandards.com/VHG-StartUpSolutions

While every effort has been made to ensure the accuracy of the information in this catalog, customers are directed to their local sales office or the LGC Standards website for further details and to verify product information. Specifications, terms and pricing are subject to change. LGC does not guarantee availability and reserves the right to discontinue any product. LGC does not accept liability for any loss that is caused by inaccurate product information, customer selection or inappropriate use of a product. Unless otherwise stated all trademarks are the property of LGC or its affiliated group companies. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or any retrieval system, without the written permission of the copyright holder.

© LGC Limited, 2020. All rights reserved.

The LGC logo, consisting of the letters 'LGC' in a bold, white, sans-serif font, centered within a white circle.